

Calgary (South), Alberta Ph. (403) 287-0360

Lethbridge, Alberta Ph. (403) 328-8880

Regina, Sask. Ph. (306) 721-5877

Calgary (North), Alberta Ph. (403) 250-2658

Medicine Hat, Alberta Prince Albert, Sask. Ph. (403) 527-7717

Ph. (306) 922-3680

Calgary (Foothills), Alberta Ph. (403) 236-9000

Ft. McMurray, Alberta Winnipeg, Manitoba Ph. (780) 799-4580

Ph. (204) 694-2658

Edmonton (North), Alberta Ph. (780) 451-1220

Red Deer, Alberta Ph. (403) 346-9393 Surrey, Port Kells B.C. Ph. (604) 416-1252

O/L/F/A

**OLFAXH1** 

Edmonton (South), Alberta Ph. (780) 435-2747

Saskatoon, Sask. Ph. (306) 931-1960

### **ROOFER'S KIT**

Includes: Harness, Rope Grab, Vertical Lifeline and Reusable Roof Anchor.

### **FEATURES**

- 3-point adjustable harness with mating buckles, 1 back D-ring, and 2 tear away lanyard keepers
- Rope grab with 30" energy absorbing lanyard
- 50ft polyester vertical lifeline with snap hook
- Reusable roof anchor with screws
- · Storage bucket and lid



PIPFPRK099Y50



Garant

### **25MM RATCHET LOCK UTILITY KNIFE**

- Fiberglass-reinforced body
- · Wraparound, anti-slip grip
- · Ultra-Sharp Black Snap Blade
- Stainless-steel support channel
- Tool-free blade change

### **25MM BLADES**

SILVER SNAP 20 PACK



**ULTRA-SHARP BLACK** 20 PACK



**OLFAHBB20B** 

### **DECK DEMOLITION TOOL**

Demolish your deck quickly and efficiently with the help of the Garant Pro Series deck demolition tool. Designed for DIYers and professionals looking for a robust, efficient and safe tool to demolish decks





51" long × 4" wide

### INDUSTRIAL STEEL WHEELBARROW



- 6 cu ft tray with a maximum capacity of 600lb
- Made of a single piece ultrarobust steel with welded clips under the tray for increased solidity.

**GARTIFS600** 

Garant

# **5 LBS PICK AND MATTOCK, WOOD HANDLE**

**GARCAP19** 



\$**239**99

5 lb forged and tempered steel head for increased strength and rigidity.

### ONOMY STEEL WHEELBARROW

**GARC6** 

- 6 cu ft tray with a maximum capacity of 270lb
- Made of a single piece of thick steel with steel front tray braces.



### RSS™ RUGGED STRUCTURAL SCREWS

50PK

Speedy lag bolt alternative with immense drawing power

**GRK12151** 1/4X1-1/2" 50PK \$1425 \$17<sup>95</sup> **GRK12155** 1/4X2" 50PK **GRK12217** 8**46**95 5/16X2-1/2 100PK \$**60**95 **GRK12221** 5/16X3-1/8 100PK \$66<sup>25</sup> **GRK12225** 5/16 X 4" 100PK **GRK12231** \$**51**65 5/16X5-1/8 50PK \$**67**<sup>25</sup> **GRK12235** 5/16 X 6" 50PK **GRK12285** \$117<sup>95</sup> 3/8X7-1/4" 50PK \$139<sup>95</sup> **GRK12287** 50PK 3/8 X 8"

3/8 X 10"

\*ACQ Compatible



- Recessed Star Drive: Zero stripping, with 6 points of contact
- Cee Thread: for a clean finished look
- W-Cut™: Low torque, smoother drive
- ZIP -TIP ™: No pre-drilling faster penetration

### **R4 MULTI-PURPOSE SCREW**

R4 Multi-Purpose Framing and Decking screws provide a faster drive for improved productivity.

| a ractor arrest or improved productions. |              |       |                            |  |
|--|--------------|-------|----------------------------|--|
| GRK02137                                 | 10 X 3-1/8"  | 100PK | \$ <b>22</b> 50            |  |
| GRK02139                                 | 10 X 3-1/2"  | 50PK  | §13 <sup>25</sup>          |  |
| GRK02141                                 | 10 X 4"      | 50PK  | \$15 <sup>20</sup>         |  |
| GRK02173                                 | 12/14X5-5/8" | 50PK  | \$ <b>34</b> 30            |  |
| GRK02177                                 | 12/14X6-3/8" | 50PK  | \$40 <sup>95</sup>         |  |
| GRK02179                                 | 12/14X7-1/4" | 50PK  | 8 <b>64</b> <sup>25</sup>  |  |
| GRK02181                                 | 12/14 X 8"   | 50PK  | \$ <b>87</b> <sup>95</sup> |  |
| GRK02187                                 | 12/14 X 10"  | 50PK  | \$115 <sup>65</sup>        |  |
| GRK02193                                 | 12/14 X 12"  | 50PK  | \$148 <sup>25</sup>        |  |
|  |              |       |                            |  |

\*ACQ Compatible



- Fast bite tip eliminates pre-drilling and provides a fast start for one step installation
- W-CutTM low installation torque allows for fast driving and ease of install
- Precision Fit between R4 Multi-Purpose screws and GRK bits reduces wobble and improves productivity



**GRK12293** 



### **CONTRACTORS SHEATHING TAPE**

**RED Tuck®** 2-1/2" 60mm x 66m Strong and durable holding

power.

RST2



**BLUE** tape for PE vapor 2-1/2" 60mm x 55m

> Outstanding adhesion on polyethylene.

BST<sub>2</sub>



cantech)

### **OUIK-MARK™ SOLVENT-BASED INVERTED MARKING PAINTS**

ALL

PERFORMANCE

- **COLOURS!** · High-solids formulation for bold, bright, visible markings
- · Fast-drying formula penetrates and adheres to hot and cold
- Convenient Spray-Thru<sup>™</sup> cap
- Non-clogging spray tip





### JOIST HANGER NAIL HDG

For attaching joist hangers to wood studs. Short, heavy gauge nail provides increased holding power without fully penetrating the wood.

**HOT DIPPED** GALVANIZED FOR ACQ USE. 1-1/2" 9GA



\*ACQ Compatible

C112HGJST

**1** 95 /50lb Box

### GREEN SWEEP SWEEPING COMPOUND ROTEX



**SC45 45 GAL DRUM** 



SC 44 LB BOX

### **GARBAGE BAGS BLACK**



GBS30.38 30X38 200/CS

X-STRONG

GBXS35.50 35X50 100/CS

# **HEAVY DUTY 20L PAIL**



PAILW20BSH

- Made from High Density
- Polyethylene Ideal for industrial environment
- Attached handle for easy lifting and carrying

Lid Sold Separately!

\$**3**79 LIDW20



Quality since 1918

### MEGA T-FIT™

T-SHAPE DISPOSABLE SOFT POLYURETHANE FOAM EAR PLUGS - NRR 32



TNAMIC

Soft and comfortable PowerSoft™ foam supports all day comfort.

CORDED

(100 PAIR / BOX) PIPNPHPF510C **UNCORDED** 

(200 PAIR / BOX)

PIPNPHPF510

### SAFETY VEST

- Adjustable Sizing
- Hi-Viz Flourescent Orange Polyester Mesh material
- Velcro Closure/5 Point Tear Away
- Meets WCB PPE-2
- Meets CSA 296-02 Class 2 S**O**95

TVMESH1

### **HI-VIS SAFETY SASH** Premium 1.5" elastic



SSYG5497

- Adjustable elastic waist band and chest straps
  - Startech™ reflective tape
  - Quick-release waist buckle

### **STEALTH ORIGINAL**



· Hard-wearing nitrile coating

- · Lightly textured finish
- Nylon seamless knit shell
- · Extended snug-fitting wrist

Size S-XL

J'UNITED ABRASIVES

- Type 27
- Special aluminum oxide grain

CUTTING WHEEL

- Extremely fast burr-free cutting with long life
- Exceptional Performance



4-1/2" x .045" x 7/8" SAIT22021 SAIT22071 5" x .045" x 7/8'

\$<u>3</u>10 **SAIT22047** 6" x .045" x 7/8'

7" x .045" x 7/8" **SAIT22053** 

\$325

**SAIT20065** 4-1/2" x 1/4" x 7/8"

**SAIT20280** 6" x 1/4" x 7/8"

### **TOUGH GRIND**

J\*UNITED ABRASIVES

- Type 27
- · Aluminum oxide grain
- · Hard bond designed for edge and bevel grinding and other applications where a harder wheel is preferred
- Longer life for fewer wheel changes



\$365 **SAIT20075** 5" x 1/4" x 7/8" \$389

### 14" ABRASIVE WHEEL



WG390

For Steel, Steel Stud and Ferrous Metal applications

14" x 1/8" x 1"





MAKA05044



MILW48228690F

### M18 FUEL™ PIPE THREADER W/ ONE-KEY™ KIT

- (1) M18 FUEL™ Pipe Threader w/ ONE-KEY™
- (2) M18 HIGH OUTPUT™
- HD12.0 Battery Pack (1) M18™ & M12™ Rapid Charger
- (1) Threading Support Arm
- (1) Carrying Case



MILW287422HD

**\$2399** 

### M18 FUEL™ 6 GALLON WET/ **DRY VACUUM** NEW

- (1) M18 FUEL™ Wet/Dry Vacuum Motor Head
- 6 Gallon Wet/Dry Vacuum Tank
- 1) Wet/Dry Vacuum Cart
- (1) Large Wet/Dry Vacuum High Efficiency Filter
- (1) 1-7/8" x 9' Flexible Hose
- (1) 1-7/8" Crevice Tool
- (1) 1-7/8" Floor Utility Nozzle
- (2) 1-7/8" Extension Wand

**Tool Only** MILW091020 \$<u>348</u>



### M18™ INFLATOR

**FASTEST 18V CORDLESS TIRE** INFLATOR







### M12™ COMPACT **INFLATOR**

MILW247520 **\$99**95

### M18 FUEL™ W/ ONE-KEY™ HIGH TORQUE IMPACT WRENCH 1/2" KIT

### Kit Includes:

- (1) M18 FUEL™ w/ ONE-KEY™ High Torque Impact Wrench 1/Ž" Friction Ring or Pin Detent
- (2) M18™ XC5.0 Extended Capacity Battery Pack
  (1) M18™ & M12™
- Multi-Voltage Charger
- (1) Carrying Case



LIMITED STOCK

MILW286222 Pin Detent MILW286322 Friction Ring

**SEE IN-STORE FOR PRICE** 

# M18 FUEL™ COMBO KITS



MILW299825 **\$<u>9</u>99**97

- Kit Includes:
- (1) 1/2" Hammer Drill/Driver
- (1) 1/4" Hex Impact Driver
- (1) SAWZALL® Recip Saw
- (1) 6-1/2" Circular Saw Work Light
- (2) XC5.0 Battery Pack
- (1) Multi-Voltage Charger



MILW299823 \$**748**97

- Kit Includes:
- (1) 1/2" Hammer Drill/Driver
- (1) 1/4" Hex Impact Driver (1) SAWZALL® Recip Saw
- (2) XC5.0 Battery Pack
- Multi-Voltage Charger

### M18 FUEL™ 1/2 " COMPACT **IMPACT WRENCH**

W/ FRICTION RING

W/ PIN DETENT





MILW285520

M18 FUEL™ 3/8" COMPACT IMPACT

WRENCH W/ **FRICTION RING** 





### M18™ BATTERIES

**CP2.0** MILW48111820



**XC 4.0 EXTENDED** CAPACITY

MILW48111840



**XC5.0 EXTENDED** CAPACITY MILW48111852





### PACKOUT™ BACKPACK



**SHOCKWAVE™** 

DRILL BIT KIT

MILW48209050

MILW48209051

MILW48209052

CARBIDE HAMMER

- Impact resistant polymer base
- 48 Total Pockets
- Tape Measure Clip
- Tear-resistant 1680D ballistic material
- Hardshell Electronics & Equipment pocket
- · Tape Measure Clip
- All-Metal Hardware
- · Up to 2X more padding

MILW48228301

1**29**<sup>95</sup>

M18™ **TROUBLE LIGHT W/ USB CHARGING** 

MILW236320 \$9995



MILW236420 M12™ **ROVER™** MOUNTING **FLOOD LIGHT** 



M18™ MILW236520 **ROVER™ MOUNTING** FLOOD LIGHT



### **SHOCKWAVE™ IMPACT DUTY DRIVER BIT SET**

MILW48324020 \$**3√**95



(70-PIECE)



(40-PIECE)



**SDS-PLUS 4CT** MX4™ KIT

\$895

\$1495

5PC

7PC

5PC \$5995 MILW48207498 6PC \$7995 MILW48207499

### **OSCILLATING MULTI-TOOL BLADE** KIT (20-PIECE)

Kit offers an assortment of blades for multiple applications!



MILW48909820 **69**95





# MONTHLY FOCUS

### **WEDGE ANCHOR**

| WED38.234 | <b>\$46<sup>39</sup></b> /Per 100 |
|-----------|-----------------------------------|
| WED38.3   | <b>\$4739</b> /Per 100            |
| WED38.334 | <b>\$54<sup>66</sup></b> /Per 100 |
| WED38.5   | <b>\$67<sup>75</sup></b> /Per 100 |
| WED12.234 | <b>\$7779</b> /Per 100            |
| WED12.334 | <b>\$83<sup>59</sup></b> /Per 100 |

| WED12.412 | <b>\$96</b> 35 <sub>/Per 100</sub>  |
|-----------|-------------------------------------|
| WED12.512 | <b>\$116<sup>29</sup></b> /Per 100  |
| WED58.5   | <b>\$17925</b> /Per 100             |
| WED58.6   | <b>\$205<sup>29</sup></b> /Per 100  |
| WED58.7   | <b>\$219</b> <sup>09</sup> /Per 100 |



### FLO-ROK® 5 MAX ANCHORING ADHESIVE W/ NOZZLE

Ideal for use in a wide range of temperatures from -20°C to over 30°C. A matching static mixing nozzle, as well as FLO-ROK®'s low mix ratio sensitivity, ensures thorough, 10:1 mixing of the resin and the hardener. 10 oz.

FR510MAX

**\$22**95




### **TORPEDO BOLT**

CARBON STEEL GALVANIZED

| Part No   | Anchor<br>Size | Box<br>Qty | Price<br>/C                 |
|-----------|----------------|------------|-----------------------------|
| UTB14.214 | 1/4 X 2-1/4    | 100        | \$ <b>39</b> 58             |
| UTB14.3   | 1/4 X 3        | 100        | \$46 <sup>35</sup>          |
| UTB38.212 | 3/8 X 2-1/2    | 50         | \$103 <sup>95</sup>         |
| UTB38.5   | 3/8 X 5        | 25         | \$1 <b>59</b> <sup>95</sup> |
| UTB12.3   | 1/2 X 3        | 50         | \$1 <b>95</b> <sup>44</sup> |
| UTB12.4   | 1/2 X 4        | 40         | \$ <b>267</b> <sup>96</sup> |
| UTB12.5   | 1/2 X 5        | 30         | \$311 <sup>73</sup>         |





- Fast installation and reduced edge distance requirements, compared to mechanical expansion anchors
- One piece fastener with finished hex washer head
- Unique thread pattern facilitates ease of installation
- · Anchor can be set with an impact or manual socket wrench

STUBI DROP-IN ANCHORS

Underhead serrations

WFD58 812

• Removable-Ideal for temporary anchoring applications

The UCAN STUBi Drop-in Anchor is an internally threaded, flush mounted expansion anchor, which is pre-assembled with an internal expansion plug. The anchor is zinc

plated in accordance with ASTM B633, SC-1,Type III standard.

Part No

DIS38.12

Thread

Size

3/8"

### **SCRU-IT® ANCHORS**

| Part No    | Anchor<br>Size | Box<br>Qty | Price /<br>Box                 |
|------------|----------------|------------|--------------------------------|
| SCH316.114 | 3/16 X 1-1/4   | 100        | \$10 <sup>99</sup>             |
| SCH316.134 | 3/16 X 1-3/4   | 100        | \$ <b>12</b> <sup>49</sup>     |
| SCH316.214 | 3/16 X 2-1/4   | 100        | \$13 <sup>99</sup>             |
| SCH14.114  | 1/4 X 1-1/4    | 100        | \$14 <sup>99</sup>             |
| SCH14.134  | 1/4 X 1-3/4    | 100        | \$16 <sup>99</sup>             |
| SCH14.214  | 1/4 X 2-1/4    | 100        | <sup>\$</sup> 19 <sup>49</sup> |
| SCH14.234  | 1/4 X 2-3/4    | 100        | \$21 <sup>99</sup>             |
| SCH14.314  | 1/4 X 3-1/4    | 100        | \$ <b>27</b> <sup>49</sup>     |



# **DROP IN ANCHOR SYSTEM**

Fractional O/D

| Part No  | Thread<br>Size | Drill<br>Size | Pkg.<br>Qty. | Price<br>/C                |
|----------|----------------|---------------|--------------|----------------------------|
| IPA38.12 | 3/8"           | 1/2"          | 50           | <b>\$27</b> <sup>49</sup>  |
| IPA12.58 | 1/2"           | 5/8"          | 50           | \$ <b>58</b> <sup>99</sup> |



### **Drop-in Setting Tool**

| Part No | Anchor Size | Price /E       |  |
|---------|-------------|----------------|--|
| IPAST38 | 3/8"        | \$399          |  |
| IPAST12 | 1/2"        | \$ <b>6</b> 99 |  |
| _       |             | _              |  |



# ALUMINUM ALEX PLUGS

Drill

1/2"

Box

Qty.

100

Price

\$3299



| Part No   | Description | Price/C                     |
|-----------|-------------|-----------------------------|
| ALE14.1   | 1/4 X 1     | <b>\$22</b> 19 /Per 100     |
| ALE14.114 | 1/4 X 1 1/4 | <b>\$25</b> 37 /Per 100     |
| ALE14.112 | 1/4 X 1 1/2 | \$28 <sup>50</sup> /Per 100 |

### **TIE WIRE WEDGE ANCHOR**



1/4 x 2 1/4

The Tie Wire wedge anchor is designed primarily for suspended ceiling installation. The anchor consists of a 1/4" dia. steel body with 9/32" diameter wire hole and a three segment expansion clip.

**EP932 \$2625** /Per 100

### **ZAMAC PIN BOLTS**

| ZAM316.78 | <b>\$1 439</b> /Per 100            |
|-----------|------------------------------------|
| ZAM14.1   | <b>\$17<sup>89</sup>/Per</b> 100   |
| ZAM14.114 | <b>\$18<sup>99</sup>/Per</b> 100   |
| ZAM14.112 | <b>\$21</b> <sup>50</sup> /Per 100 |
| ZAM14.2   | <b>\$26</b> <sup>89</sup> /Per 100 |
| ZAM14.3   | <b>\$47<sup>49</sup></b> /Per 100  |



### **MUNGO NYLON PLUGS**

The Mun Nylon Plug is made of a tough and durable Nylon-6 which will not crack under impact at low temperatures. Best suited for use in solid masonry base materials. Mun plugs have much higher hold power than plugs made of softer plastics. Sizes 10, 12, & 14 can be used with lag screws.

| Part No | Hole<br>Diameter | Screw<br>Size | Box<br>Qty | Price<br>/100      |
|---------|------------------|---------------|------------|--------------------|
| MUN5    | 5MM              | #4 - #6       | 100        | \$ <b>5</b> 50     |
| MUN6    | 6MM              | #6 - #8       | 100        | \$ <b>5</b> 99     |
| MUN8    | 8MM              | #10 - #12     | 100        | <b>\$9</b> 85      |
| MUN10   | 10MM             | #14 - #18     | 100        | \$19 <sup>60</sup> |
| MUN12   | 12MM             | 3/8"          | 100        | \$34 <sup>45</sup> |



