

Calgary (South), Alberta Ph. (403) 287-0360

Lethbridge, Alberta Ph. (403) 328-8880

Regina, Sask. Ph. (306) 721-5877

Calgary (North), Alberta Ph. (403) 250-2658

Ph. (403) 527-7717

Medicine Hat, Alberta Prince Albert, Sask. Ph. (306) 922-3680

Calgary (Foothills), Alberta Ph. (403) 236-9000

Ph. (780) 799-4580

Ft. McMurray, Alberta Winnipeg, Manitoba Ph. (204) 694-2658

Edmonton (North), Alberta Ph. (780) 451-1220

Red Deer, Alberta Ph. (403) 346-9393 Surrey, Port Kells B.C. Ph. (604) 416-1252

Edmonton (South), Alberta Ph. (780) 435-2747

Saskatoon, Sask. Ph. (306) 931-1960

14" METAL CUTTING SAW

- 120V / 60Hz / 15Amp
- No-Load Speed 1300 RPM
- Blade Diameter 14" (356mm)
- Arbor hole 1"
- Weight 53lbs

METAL DEVIL 14" 66T METAL **CUTTING BLADE**

\$19995 MKMOCSM1466NSC



DRILL DOCTOR 500X

Sharpens standard twist and masonry bits from 3/32" to 1/2"

DD500X



DRILL DOCTOR 750X

Sharpens drill bits from 3/32" to 3/4". Point angles can be set anywhere from 115 to 140 degrees.

DD750XC



12/3 TRISOURCE EXTENSION CORD

- 15 Amps
- 125 Volts
- UL Rated Temp: -40C to 60C
- NEMA 5-15 Plug/Receptacle
- SJTW Jacket
- Weather Resistant Jacket
- Heavy Duty
- Rated for Outdoors
- Lighted Receptacle Shows Power is On





SWECY1225TT

25'


50 SWECY1250TT

SWECY12100TT

/Each

/Each

1A 300LB 6100 SERIES FIBERGLASS SINGLE SIDED STEP LADDERS



- Back-up plates reinforce all top connectors
- Double riveted slip-resistant Traction-Tred[®] steps
- Full set of rear horizontals spaced one per foot
- Oversized, molded ProGuard™ boot provides firm slip-resistant footing and protect fiberglass rail

WER6106CA

WER6108CA

WERNERCO

ROOFER'S KIT

Includes: Harness, Rope Grab, Vertical Lifeline and Reusable Roof Anchor.

FEATURES

screws

- 3-point adjustable harness with mating buckles, 1 back D-ring, and 2 tear away lanyard keepers
- Rope grab with 30" energy absorbing lanyard
- 50ft polyester vertical lifeline with snap hook Reusable roof anchor with
- Storage bucket and lid



PIPFPRK099Y50

FLO-ROK® 5 MAX ANCHORING ADHESIVE W/ NOZZLE

Ideal for use in a wide range of temperatures from -20°C to over 30°C. A matching static mixing nozzle, as well as FLO-ROK®'s low mix ratio sensitivity, ensures thorough, 10:1 mixing of the resin and the hardener, 10 oz.





FR510MAX







WIPING RAGS



General purpose ganzie rags

1Hh **RAGS**

WHITE GANZIE RAGS

Rags, #1 White Ganzie, 20LB carton, All cotton white t-shirt wipers

RAGSWC



CAN DRY ABSORBENT 36LBS

- · Absorbs its own weight in liquid
- · Contains less then 1% free crystalline silica
- · Non-toxic and non-corrosive
- · Controls odours within the liquid spill



Safely and quickly absorb Alcohols, Coolants, Oils and Fuels, Paints and Solvents



/BAG

FD36

CHERRY GEL PUMICE



Gel-style heavy duty hand cleaner with cherry fragrance and pumice scrubbers that quickly cleans heavy dirt, grease and oil.



GOJO235802

GOJO® NATURAL ORANGE™

1 Gallon w/Pump Dispenser





With pumice scrubbing particles! 1 Gallon w/Pump Dispenser

GOJO095504

GOJO® NATURAL ORANGE™ SMOOTH HAND

Orange citrus scent! 1 Gallon w/Pump Dispenser



GOJO094504

ALUMINUM FOIL TAPE





FT2

/ROLL

FT3

Wiss /ROLL

9-3/4"METALMASTER® COMPOUND ACTION STRAIGHT SNIP

Ergonomic, single material non-slip handle grips provide excellent control and easy cleaning with built-in hang hole for convenient storage



LEFT CUT AVIATION SNIPS WISSM1R



AVIATION SNIPS WISSM2R

FFT & RIGHT CUT RIGHT CUT

AVIATION SNIPS WISSM3R

/EACH

CARBIDE BURR SETS

Made from the highest quality tungsten carbide and manufactured on state of the art CNC machines to give the highest consistency and quality of any burr on the



8PC 1/4 PRMC2508



8PC 3/8 PRMC3758



8PC 1/2 PRMC5008

HALF FACE REUSABLE RESPIRATOR



3M6200 3M6300

MED LG

/ Each

QUICK LATCH RUGGED COMFORT HALF FACE REUSABLE RESPIRATOR





PARTICULATE FILTER, P100 Provides lightweight, easy

breathing comfort 3M2091 31



PARTICULATE FILTER, P100

Nuisance odor relief for organic vapour levels below the Permissible Exposure Level (PEL)

3M2097



ORGANIC VAPOUR **CARTRIDGE / P100**





ORGANIC VAPOUR/ACID GAS CARTRIDGE / P100

3M60923 \$**35**95



PROTECTA® VEST-STYLE HARNESS

Tongue-Buckle Leg Connection, and Pass-Through Chest Connection. Rated for 420 lbs weight capacity

CAPS1161542C M/L

PROTECTA® COMFORT

VEST-STYLE HARNESS

Quick-Connect Leg Connection, and Quick-Connect Chest connection. Rated for 420 lbs weight capacity.

CAPS1161427C M/L





The 3M™ PROTECTA® Rebel™ Self Retracting Lifeline, is a durable self retracting lifeline (SRL) with a speed-sensing brake system that stops a fall within inches to keep you safe when you're working at heights.

Weight Capacity 310 lb.

CAPS3101221 CAPS3101603

CAPS3590502

6 ft (Web)

10 ft (Web)

^{\$}199⁹⁵ \$**265**95 \$**534**⁹⁵ 33 ft (Cable)



SEE IN STORE FOR FREE **MERCHANDISE!**

M12 FUEL™ 16 GAUGE VARIABLE SPEED NIBBLER

Tool Only MILW247620

MEM







FREE M18™

Tool Only MILW088020F WHILE SUPPLIES LAST

M18 STARTER KIT WITH 5.0 AH AND 2.0 AH BATTERY AND CHARGER



MILW48591852C



SEE IN STORE FOR FREE MERCHANDISE!



PACKOUT™ ROLLING TOOL **CHEST**



M18 FUEL™ 1/4" LOCKBOLT

250lb weight capacity.

MILW48228428 \$**299**95

M18 XC6.0

MILW48111865F

WHILE SUPPLIES LAST



M18 FUEL™ 2-TOOL COMBO KIT

Kit Includes:

- (1) M18 FUEL™ 1/2" Hammer Drill/Driver
- (1) M18 FUEL™ 1/4" Hex Impact Driver
- (2) M18™ XC5.0 Extended
- Capacity Battery Pack (1) M18™ & M12™ Multi-Voltage Charger
- 1) Side Handle
- (2) Belt Clip
- (1) Blow Molding Carrying Case



MILW369722 **⁵588**95

REDLITHIUM™ USB STICK LIGHT W/ MAGNET

550 Lumens of TRUEVIEW™ High-**Definition Output**

· 2 Hours of Run-time on HIGH on (1) USB 3.0 Battery

- · Inspection Light for MPI's and Assessment
- 4 Total Output Modes: Front, Back, Dual Panel Plus Inspection Light



With Charging Dock MILW212822



1/4" AL Magna-Grip Lockbolt Fasteners in one M18™ XC5.0AH battery charge

2X the speed of application compared to other cordless lockbolt tools

· Installs up to 1,200



MILW266120

M12™ STICK TRANSFER PUMP



Standard Garden Hose

· Effortlessly pump up to 9 gallons per minute

Up to 275 gallons on (1) M12™ XC4.0 Battery Pack

Tool Only MILW257920

- 3/4" Outlet Attaches to
- 360° design maximizes flow in heavy debris
- Push water out of trenches, basins, and over walls to ideal drainage site

M18™ FUEL 1/2" HAMMER DRILL

Tool Only MILW280420

MILW280422



- Kit Includes: (1) M18 FUEL™ ½" Hammer Drill/Driver
- (2) M18™ XC5.0 Extended Capacity Battery Pack
- (1) M18™ & M12™ Multi-Voltage Charger
- Belt Clip
- (1) Bit Holder
- (1) Carrying Case
- (1) Side Handle

BLOWOUT

LIMITED QUANTITIES

M18 FUEL™ 3"X18" BELT SANDER

- Best in class belt speed at 1350 SFM with less
- bog down under load Generates the power and torque of an 8A corded belt sander for aggressive material removal
- The dust collection system paired with our durable dust bag or universal hose adapter reduces clean up time

Ask us about compatible 3" x 18" sanding belts.





Tool Only MILW283220 368

M12 FUEL™ 1/2" **DRILL DRIVER**

MILW250320 8**139**95

MILW250322 §179⁹⁵



M12 FUEL™ 1/2" **HAMMER DRILL**

MILW250420 [§]149

MILW250422 ^{\$}189⁹⁵



M18 REDLITHIUM™ HIGH OUTPUT™ HD12.0 BATTERY **PACK**

- Runs substantially cooler through heavy applications, allowing tradesmen to push their cordless tools harder and longer than ever before
- Generates 15A corded power, significantly elevating the performance of the entire M18™ system, driving the next breakthrough in M18 FUEL™



MILW48111812

DOST

M18 FUEL™ QUIK-LOK™ BRISTLE BRUSH **ATTACHMENT**

MILW49162741



Compatible with M18 FUEL™ QUIK-LOK™ Attachment System.



MILW49162740 **\$398**97



NEW



MONTHLY FOCUS HAND PROTECTION

MAXIFOAM® LITE



Seamless Knit Nylon Glove with Nitrile Coated Foam Grip on Palm & Fingers

Size XS-XXL

PIP34900

PIP523670

ASSURANCE®



MAXIFLEX® ULTIMATE™



PIP34874

precision handling in dry Size XS-XXL

environments.

· Designed and developed

as a breathable glove, for

MAXIFLEX® CUT™



Cut resistant, super thin, flexible, dexterous and comfortable for precision handling in dry environments

> **ANSI CUT LEVEL 2** XS-XXL

G-TEK® POLYKOR®



PIP16560

Seamless Knit PolyKor® Blended Glove with Polyurethane Coated Flat Grip on Palm & Fingers

ANSI CUT LEVEL 4 XS-XXL

MAXICUT® ULTRA™



PIP443745

ANSI CUT LEVEL 5 XS-XXL

dry environments.

Designed and developed as a

360° breathable cut resistant

glove MaxiCut® Ultra™ combines

comfort, flexibility and dexterity for

high levels of cut protection with



PIP348743

GREASE MONKEY

- Black heavyweight nitrile
- Powder-free
- 8 mil thickness
- 11" rolled cuff

CFIA approved

50/Box



WG5555PF



- Black nitrile
- Powder-free
- 5 mil thickness 9.5" rolled cuff
- CFIA approved

M-XXL WG5554PF

100/Box

GREEN MONKEY® BIODEGRADABLE



4 mil WG5559PF M-XXL

100/Box

GREASE MONKEY® LATEX



WG5553PF M-XXL

20 50/Box

STEALTH ORIGINAL



WG390

- · Hard-wearing nitrile coating
- Lightly textured finish
- · Nylon seamless knit shell
- · Extended snug-fitting wrist
 - Size S-XL

SCAPE GOAT



M-XXL

- Hard-wearing full-grain goatskin leather offers exceptional strength and dexterity
- Drivers style with ergonomic inset thumb for superior flexibility and comfort

FLEXTIME®



- Dryhide™ water-resistant fullgråin goatskin leather palm.
- Spandex stretch back is flexible and provides form-fitting memory
- Leather hooded fingertips and reinforced thumb for additional padding and protection

A281BB ECONO GRAIN



- Economy-grade full-grain cowhide leather
 - Cotton drill back
 - Palm patch
 - Shirred elastic wrist
 - Slip-on style safety cuff





